



Product & Service Catalog

SAWMILLS





Crosby Sawmill Machines

Complete systems designed around your facility

Since 1933, Crosby Machines has been designing and manufacturing sturdy, dependable, and affordable sawmill equipment for the lumber industry utilizing today's technology with yesterday's experience. Our products are built in-house to ensure you receive high quality machines that perform. We keep a complete line of replacement parts in stock for each machine sold, ready to be shipped when you need them. With over 7,000 machines sold in over 27 states, makes us one of the largest providers of sawmill equipment in the world.





Edgers

Widths from 32" to 72"

FEATURES

- + Top mounted arbor motor
- + Electric drive
- + Crosby special laser light bracket with roller chain connection
- + Ball bearing saw collars
- + Air popup straight edge
- + Hard chrome feed rolls
- + Electric over air networks for precision sets
- + Electric over hydraulic networks for precision sets and jog for grade hardwoods
- + Linear positioners, hydraulic motors, and computer controls also available
- + Top arbor or bottom arbor








Gang Edgers

Widths from 30" to 72"



FEATURES


- + Thin top kerf arbor
- + Available with "Hands Off" remote controlled infeed tables
- + Heavy construction
- + Hard chromed feed rolls
- + Hardened spline sleeves or splined arbors
- + Positive custom designed feeds for smooth flow
- + Large puck babbitt guides
- + Miser Air/Oil/Water mist system
- + Guide milling machine
- + Babbitt mold
- + Many other options






Optimized/Duty Edgers

Widths from 36" to 48" / 2 to 4 Saw



FEATURES

- + Top or bottom arbor
- + Compatible with most Transverse Optimizer Infeeders
- + Precision machined arbor
- + Low clearance ball bearing saw collars
- + Precision shifting arms
- + Linear bearing saw guide shaft
- + Linear positioner cylinders
- + Auto arbor lube





Two Saw Trimmers

Trims 1" to 4" lumber



FEATURES

- + Lumber and cross-tie trimmers to trim up to 7.5" thick
- + Timber trimmers to trim up to 12" thick
- + Trimmers can start at 4', 6' and 8', trim to 16", 20", and 24" long
- + Saws move by electric over hydraulic sets. Trimmers can set in 1' or 2' increments with an 8' 6" length options
- + Trimmers offered with one saw stationary and one saw moving.
- + Trimmers can have both saws moving from their common center
- + Trimmers built with arbor motors and feed motors installed along with hydraulic power pack with motor
- + Option: Turnkey electrical includes starters, disconnect, fuses, and transformers for operator console
- + Option: Waste conveyors installed inside trimmer frames





Replacement Parts

For machines going back to the mid 1940s



Outfeed Belts




Outfeed Tables



Infeed Tables




Fabricated Saw Collars




Saw Guides



Feed Rolls



Hold Down Rolls



Arbors

CONTROLS

MOTORS

PUMPS

VALVES

COMPRESSORS

PNEUMATICS

SAWMILLS

METAL RECYCLING

TRANSIT & RAILROAD

WATER & WASTEWATER

DIMENSIONS & MOUNTING



(888) 384-2111 840 Gessner Rd, Ste 950, Houston, TX 77024 ISS-NA.com

© 2024 Industrial Service Solutions, LLC. All Rights Reserved. PUB2024